

MSDS # SBS G-01

SECTION 1 PRODUCT NAME AND COMPANY IDENTIFICATION

MSDS Date of Preparation: 06/15/12

PRODUCT NAME: Elastoflex VG, Elastoflex S6 G, ElastoShield TS G, ElastoShield HP G

TRADE NAME: SBS Granulated Rolled Roofing

CHEMICAL NAME: NA

MANUFACTURER: Polyglass U.S.A. Inc.

ADDRESS: 1111 West Newport Center Drive

Deerfield Beach, Florida 33442

INFORMATION ONLY: (954) 233-1330

INTERNET: www.polyglass.com

EMERGENCY CONTACT: (800) 424-9300 CHEMTREC (USA)

NFPA Hazard Rating

HMIS Hazard Rating

Health	1	Health	1
Flammable	1	Flammable	1
Reactive	0	Reactive	0
Special Hazards	-	Personal Protection	X

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	COMMON NAME	CAS number	% Weight	Exposure Limit (OSHA)	Exposure Limit (ACGIH)	
Petroleum Asphalt	Asphalt	8052 42 4	40 – 45	5 mg/m3 PEL	5 mg/m3 TLV (as fume)	
Calcium Carbonate	Limestone	1317 65 3	15 – 25	5 mg/m3 PEL (Respirable)	3 mg/m3 TLV (Respirable)	
				15 mg/m3 PEL (Total)	10 mg/m3 TLV (Total)	
Styrene Butadiene Styrene	SBS Rubber	9003-55 8	4 – 8	Not established	Not established	
Non-woven Polyester	Polyester mat	None assigned	0 – 4	Not established	Not established	
Continuous Filament glass fiber	Fiberglass mat	65997 17 3	0 – 3	5 mg/m3 PEL (Respirable)	1 fiber/cc TLV	
	-			15 mg/m3 PEL (Total)	5 mg/m3 TLV (Total)	
Crystalline silica, Quartz	Crystalline silica, Quartz Sand		0 – 6	0.1 mg/m3 PEL (Respirable)	0.1 mg/m3 TLV (Respirable)	
Crushed Mineral	Roofing granules	None assigned	20 – 25	Not established	Not established	

As defined in the OSHA Hazard Communication Standard, 29 CFR 1910.1200, the product(s) above are considered articles and do not require an MSDS. All components that are listed for the product(s) are bound within the product(s). When handled under normal conditions and handled as intended for use, there is no evidence that any of the above mentioned ingredients are released in amounts that pose a significant health risk. Although these products are not subject to the OSHA Standard, POLYGLASS USA would like to disclose as much health and safety information as possible to ensure that this product is handled and used properly. This MSDS contains valuable information critical to the safe handling and proper use of the product.

SECTION 3 HAZARDS IDENTIFICATION

PRIMARY ROUTE OF EXPOSURE: Occasional nuisance dust, Inhalation

SIGNS & SYMPTOMS OF EXPOSURE

EYES: May cause irritation to the eyes. SKIN: May cause irritation to the skin.

INGESTION: This product is not intended to be ingested. If ingested, it may cause temporary irritation to the

gastrointestinal (digestive) tract.

INHALATION: May cause irritation to the respiratory tract.



MSDS # SBS G-01

SECTION 4 FIRST AID MEASURES

EYES: Hold eyelids open and wash with gentle stream of water for at least 15 minutes

preferably at eyewash fountain.

SKIN: If contacted by hot asphalt. Cool with ice or water. Do not attempt to remove

asphalt immediately. Consult medical personnel.

INHALATION: Remove to fresh uncontaminated air.

INGESTION: Not expected to be ingested.

NOTE: TO PHYSICIANS OR FIRST AID PROVIDERS: Water-Jel has been shown to be an effective agent in softening and

removing asphalt

SECTION 5 FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Water spray, Alcohol foam, Carbon Dioxide, or Dry chemical.

HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide and Carbon Monoxide.

RECOMMENDED FIRE FIGHTING PROCEDURES: NIOSH-approved self contained breathing apparatus is recommended

for smoke protection.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

SECTION 6 ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Pick up large pieces. Avoid generating dust when picking up pieces.

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE: Use protective equipment as described in Section 8. Keep away from heat or flame

and protect product from the elements.

OTHER PRECAUTIONS: Avoid breathing asphalt fumes.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION: N/A

RESPIRATORY PROTECTION: N/A under normal use conditions. In circumstances where dust or fumes are generated and

may exceed recognized allowable exposure levels, appropriate NIOSH approved respiratory

protection is recommended.

EYE PROTECTION: Safety glasses with side shields

SKIN PROTECTION: Cotton or leather gloves are recommended when handling.

OTHER PROTECTIVE EQUIPMENT: None

WORK HYGIENIC PRACTICES: Wash exposed skin prior to eating, drinking or smoking and after skin contact.

EXPOSURE GUIDELINES: These products should be handled using methods and techniques that minimize or eliminate

dust or fume generation.



MSDS # SBS G-01

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PROPERTIES	UNIT	DATA
Appearance	N/A	Granulated Roll
Boiling point	deg F	>650
Evaporation Rate	N/A	N/A
Flash Point	deg F	>430
Melting Point	deg F	>290
Odor	N/A	Mild asphalt/petroleum odor
pH (undiluted product)	N/A	N/A
Saturation in air	%	N/A
Solids Content	N/A	N/A
Specific gravity	g/cc	1.02 – 1.30
Vapor Density	Air = 1	N/A
Vapor Pressure	N/A	N/A
Viscosity	сР	N/A
VOC	g/liter	N/A
Volatility	%	<0.1
Water solubility	%	<0.1

SECTION 10: STABILITY AND REACTIVITY

THERMAL STABILITY: STABLE X UNSTABLE

CONDITIONS TO AVOID (STABILITY): None known.

INCOMPATIBILITY (MATERIAL TO AVOID): None known

HAZARDOUS DECOMPOSITION OR BY- PRODUCTS: None known

HAZARDOUS POLYMERIZATION: Will Not Occur

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: None available for the product. See section 3.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No information available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: This product, as supplied, is not regulated as a hazardous waste by the U.S. Environmental

Protection Agency (EPA) under Resource Conservation and Recovery Act (RCRA) regulations.

Comply with state and local regulations for disposal.

RCRA HAZARD CLASS: None

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT TRANSPORTATION:

PROPER SHIPPING NAME: N/A
HAZARD CLASS: N/A
ID NUMBER: N/A
PACKING GROUP: N/A
LABEL STATEMENT: N/A
OTHER: N/A



MSDS # SBS G-01

SECTION 15: REGULATORY INFORMATION

П	I S	FFD	FRA	I R	FGI	ΙΙ ΔΤ	IONS	i

TSCA: This product and its components are listed on the TSCA 8(b) inventory.

CERCLA: None

SARA:

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: None

CALIFORNIA PROPOSITION 65: This product contains a chemical known to the state of California to cause cancer and

birth defects, or other reproductive harm.

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS#	CA	MA	MN	NJ	PA	RI
Asphalt	8052-42-4	Yes	Yes	Yes	Yes	Yes	Yes
Crystalline Silica	14808-60-7	Yes	Yes	Yes	Yes	Yes	Yes
Limestone	1317-65-3	No	Yes	Yes	No	Yes	Yes

SECTION 16: OTHER INFORMATION

ADDITIONAL COMMENTS: None