Safety Data Sheet POLYBRITE 90.2

Safety Data Sheet dated: 08/07/2024 - version 6

Date of first edition: 08/13/2021

POLYGLASS®

1: Identification

Product identifier

Mixture identification:

Trade name: POLYBRITE 90.2

Trade code: PLY0082

Recommended use and restrictions on use

Recommended use: Coating Restrictions on use: Not available

Supplier's details

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: RDProductSafety@mapei.com

Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. Hazard identification





Classification of the product

Flammable Liquids — Category 4 Combustible liquid

Skin Sensitization, Category 1B May cause an allergic skin reaction.

Carcinogenicity, Category 1A May cause cancer if inhaled, in contact with skin and if swallowed.

Specific target organ toxicity following repeated exposure, Causes damage to organs through prolonged or repeated exposure if

Category 1 inhaled, in contact with skin and if swallowed.

Label elements

Hazard pictograms and Signal Word



Danger

Hazard statements

H227 Combustible liquid

H317 May cause an allergic skin reaction.

H350 May cause cancer if inhaled, in contact with skin and if swallowed.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if

swallowed.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist/vapours/spray. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Print date 08/13/2024 Production Name POLYBRITE 90.2 Page n. 1 of 10

P362+P364 Take off contaminated clothing and wash it before reuse.
P370+P378 In case of fire, use a dry powder fire extinguisher to extinguish.

P403 Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with applicable regulations.

Other hazards

None

Ingredient(s) with unknown acute toxicity

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

3. Composition/information on ingredients

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of components

Qty 25-50 %	Name silica sand; quartz	Ident. Numb. CAS:14808-60-7 EC:238-878-4	Classification STOT RE 1, H372; Carc. 1A, H350	Registration Number
5-10 %	titanium dioxide; Dioxotitanium	CAS:13463-67-7 EC:236-675-5 Index:022-006- 00-2	Carc. 2, H351	01-2119489379-17-XXXX
2.5-5 %	2-butanone, o,o',o''- (methylsilylidyne)trioxime; Methyltris(Methylethylketoxime) silane		Eye Irrit. 2A, H319; STOT RE 2, H373; Skin Sens. 1B, H317; Carc. 1B, H350	01-2119970560-38-XXXX
0.49-1 %	3-(triethoxysilyl)propylamine; 3-aminopropyltriethoxysilane	CAS:919-30-2 EC:213-048-4 Index:612-108- 00-0	Eye Dam. 1, H318; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317	01-2119480479-24-XXXX

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

 $\label{lem:lemove} Remove\ contaminated\ clothing\ immediately\ and\ dispose\ of\ safely.$

If skin irritation or rash occurs: Get medical advice/attention.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Not available

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

Print date 08/13/2024 Production Name POLYBRITE 90.2 Page n. 2 of 10

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish.

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Wash skin thoroughly after handling.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Store in a well-ventilated place. Keep cool.

Avoid direct exposure to sunlight.

Opened containers must be carefully resealed and kept upright to prevent leakage.

Flammable mixtures may accumulate within the headspace of containers at room temperature.

Storage at higher temperatures requires an appropriate evaluation of preventive and protection measures to be adopted.

Storage temperature must be defined on the basis of a proper risk evaluation. Refer to other sections for additional information.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature: Not available

8. Exposure controls/personal protection

Control parameters

Community Occupational Exposure Limits (OEL)

 Print date
 08/13/2024
 Production Name
 POLYBRITE 90.2
 Page n.
 3 of 10

OEL Country Occupational Exposure Limit Type

silica sand; quartz CAS: 14808-60-7 ACGIH Long Term: 0.025 mg/m3

A2 - Suspected Human Carcinogen; lung cancer; pulmonary fibrosis

MAK AUSTRIA Long Term: 0.15 mg/m3
ACGIH Long Term: 0.025 mg/m3

(R), A2 - Pulm fibrosis, lung cancer

MAK SWITZERLAN Long Term: 0.15 mg/m3

D

EU Long Term: 0.1 mg/m3

Behaviour Binding

titanium dioxide; Dioxotitanium CAS: 13463-67-7 ACGIH

Long Term: 10 mg/m3

A4 - LRT irr

MAK GERMANY Long Term: 0.3 mg/m3
OSHA Long Term: 15 mg/m3
ACGIH Long Term: 10 mg/m3

A4 - Not Classifiable as a Human Carcinogen; lower respiratory tract irritation

MAK AUSTRIA Long Term: 5 mg/m3; Short Term: 10 mg/m3

MAK SWITZERLAN Long Term: 3 mg/m3

D

Predicted No Effect Concentration (PNEC) values

titanium dioxide; Dioxotitanium CAS: 13463-67-7 Exposure Route: Fresh Water; PNEC Limit: 0.184 mg/l

Exposure Route: Soil; PNEC Limit: 100 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

Exposure Route: Marine water; PNEC Limit: 0.0184 mg/l

Exposure Route: Marine water sediments; PNEC Limit: 100 mg/kg Exposure Route: Freshwater sediments; PNEC Limit: 1000 mg/kg Exposure Route: Intermittent release; PNEC Limit: 0.193 mg/l

Derived No Effect Level (DNEL) values

titanium dioxide; Dioxotitanium CAS: 13463-67-7 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Industry: 0.17 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Consumer: 0.028 mg/m3

Appropriate engineering controls

Not available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. Physical and chemical properties

Print date 08/13/2024 Production Name POLYBRITE 90.2 Page n. 4 of 10

Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour:

Odour: faint

Odour threshold: Not Relevant

pH: Not Relevant

Melting point / freezing point: Not Relevant
Initial boiling point and boiling range: Not Relevant

Flash point: 74 °C (165 °F) Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant

Vapour pressure: Not Relevant Negligible

Relative density: 1.32 g/cm3 Solubility in water: insoluble Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information

Information on toxicological effects

Likely routes of exposure:

Skin contact, skin absorption, eye contact, inhalation and ingestion.

Toxicological Information of the Preparation

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation The product is classified: Skin Sensitization, Category 1B(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity The product is classified: Carcinogenicity, Category 1A(H350)

g) reproductive toxicity Not classified

 Print date
 08/13/2024
 Production Name
 POLYBRITE 90.2
 Page n.
 5 of 10

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure The product is classified: Specific target organ toxicity following repeated exposure,

Category 1(H372)

Not classified j) aspiration hazard

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

silica sand; quartz a) acute toxicity LD50 Oral > 2000 mg/kg

LD50 Skin > 2000 mg/kg

titanium dioxide;

Dioxotitanium

a) acute toxicity

LD50 Oral Rat > 5000 mg/kg

LD50 Skin Rat > 2000 mg/m3

LD50 Skin Rat > 2000 mg/kg

LC50 Inhalation Dust Rat > 6.82 mg/l 4h

LD50 Skin Rabbit > 10000 mg/kg

2-butanone, o,o',o"-(methylsilylidyne)

trioxime: Methyltris

(Methylethylketoxime)

silane

a) acute toxicity

a) acute toxicity

LD50 Oral Rat = 1490 mg/kg

(triethoxysilyI) propylamine; 3-

aminopropyltriethoxysilan

LD50 Skin Rabbit = 4075 mg/kg

Substance(s) listed on the IARC Monographs:

silica sand; quartz titanium dioxide; Dioxotitanium Group 2B

Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

titanium dioxide; Dioxotitanium

Substance(s) listed as NIOSH Carcinogen(s):

silica sand; quartz

titanium dioxide; Dioxotitanium

Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

List of Eco-Toxicological properties of the components

Component Ident. Numb. **Ecotox Data**

titanium dioxide; Dioxotitanium CAS: 13463-67- a) Aquatic acute toxicity: LC50 Fish > 100 mg/L 96 7 - EINECS:

236-675-5 -INDEX: 022-006-00-2

Print date 08/13/2024 Production Name POLYBRITE 90.2 6 of Page n.

a) Aquatic acute toxicity: EC50 Algae = 16 mg/L 72

a) Aquatic acute toxicity: NOEC Algae = 5600 mg/L 72

a) Aquatic acute toxicity: EC50 Daphnia > 100 mg/L 48

a) Aquatic acute toxicity: LC50 Fish Danio rerio > 934 mg/L 96h ECHA

3-(triethoxysilyl)propylamine; 3-aminopropyltriethoxysilane

EINECS: 213-048-4 - INDEX: 612-108-00-0

CAS: 919-30-2 -

a) Aquatic acute toxicity: EC50 Daphnia 331 mg/L 48h

Persistence and degradability

N.A.

Bioaccumulative potential

NA

Mobility in soil

NΑ

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

UN number

TDG-UN number: NA1993 ADR-UN number: NA1993 DOT-UN Number: NA1993 IATA-Un number: -

IMDG-Un number: -

UN proper shipping name

TDG-Shipping Name: - (silyl oxime)
ADR-Shipping Name: - (silyl oxime)

DOT-Proper Shipping Name: Combustible liquid, n.o.s. (silyl oxime)

IATA-Technical name: - (silyl oxime)
IMDG-Technical name: - (silyl oxime)

Transport hazard class(es)

TDG-Class: Comb liq

ADR-Class: -

DOT-Hazard Class: Comb liq

IATA-Class: -IMDG-Class: -

Packing group

Print date 08/13/2024 Production Name POLYBRITE 90.2 Page n. 7 of 10

```
ADR-Packing Group: -
        DOT Packing Group: III
        IATA-Packing group: -
        IMDG-Packing group: -
Environmental hazards
        Marine pollutant: No
        Environmental Pollutant: Not Applicable
        DOT-RQ: No
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)
        Not Applicable
Special precautions in connection with transport or conveyance
TDG:
        TDG Special provisions: N/A
Department of Transportation (DOT):
        DOT-Special Provision(s): 148, IB3, T1, TP1
        DOT-Label(s): -
        DOT-Symbol: N/A
        DOT-Cargo Aircraft: N/A
        DOT-Passenger Aircraft: N/A
        DOT-Bulk: N/A
        DOT-Non-Bulk: N/A
        DOT-Limited Quantity threshold: N/A
Road and Rail ( ADR-RID ):
        ADR-Label: -
        ADR-Hazard identification number: -
        ADR-Transport category (Tunnel restriction code): -
Air ( IATA ):
        IATA-Passenger Aircraft: -
        IATA-Cargo Aircraft: -
        IATA-Label: -
        IATA-Subsidiary hazards: -
        IATA-Erg: -
        IATA-Special Provisioning: -
Sea ( IMDG ):
        IMDG-Stowage Code: -
        IMDG-Stowage Note: -
        IMDG-Subsidiary hazards: -
        IMDG-Special Provisioning: -
        IMDG-EMS: -
15. Regulatory information
Canada - Federal regulations
```

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

TDG-Packing Group: -

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

USA - Federal regulations

TSCA - Toxic Substances Control Act

All the components are listed on the TSCA inventory

Print date 08/13/2024 Production Name POLYBRITE 90.2 Page n. 8 of 10

TSCA listed substances:

silica sand; quartz is listed in TSCA Section 8b titanium dioxide; Dioxotitanium is listed in TSCA Section 8b 2-butanone, o,o',o''
(Postbudgild in Section 8b)

(methylsilylidyne)trioxime; Methyltris(Methylethylketoxime)

silane

3-(triethoxysilyl)propylamine; 3- is listed in TSCA Section 8b aminopropyltriethoxysilane

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

No substances listed

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

silica sand; quartz Listed as carcinogen titanium dioxide; Dioxotitanium Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

silica sand; quartz

titanium dioxide; Dioxotitanium

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

silica sand; quartz

titanium dioxide; Dioxotitanium

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

silica sand; quartz

titanium dioxide; Dioxotitanium

16. Other information

Safety Data Sheet dated: 8/7/2024 - version 6

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H314	Causes severe skin burns and eve damage.

 Print date
 08/13/2024
 Production Name
 POLYBRITE 90.2
 Page n.
 9 of 10

H372	Causes damage to organs through prolonged or repeated exposure.		
H373	May cause damage to organs through prolonged or repeated exposure.		
Code	Hazard class and hazard category	Description	
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B	
A.3/1	Eye Dam. 1	Serious eye damage, Category 1	
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A	
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1	
A.4.2/1B	Skin Sens. 1B	Skin Sensitization, Category 1B	
A.6/1A	Carc. 1A	Carcinogenicity, Category 1A	
A.6/1B	Carc. 1B	Carcinogenicity, Category 1B	
A.6/2	Carc. 2	Carcinogenicity, Category 2	
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1	
A.9/2	STOT RE 2	Specific target organ toxicity following repeated exposure, Category 2	

Legend to abbreviations and acronyms used in the safety data sheet:

May cause an allergic skin reaction.

Causes serious eye damage.

Causes serious eye irritation.

Suspected of causing cancer.

May cause cancer.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

H317

H318

H319

H350

H351

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

 ${\sf GefStoffVO:}\ \ {\sf Ordinance}\ \ {\sf on}\ \ {\sf Hazardous}\ \ {\sf Substances},\ {\sf Germany}.$

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 16. OTHER INFORMATION

 Print date
 08/13/2024
 Production Name
 POLYBRITE 90.2
 Page n.
 10 f
 10