# Safety Data Sheet

# **POLYBRITE 33 CS - CLIMATE SHIELD**

Safety Data Sheet dated: 02/15/2022 - version 3

Date of first edition: 07/20/2021



#### 1. Identification

#### **Product identifier**

Mixture identification:

Trade name: POLYBRITE 33 CS - CLIMATE SHIELD

Trade code: PLY0054

Recommended use and restrictions on use

Recommended use: Coating Restrictions on use: Not available

Supplier's details

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

 $Responsible: \ RDP roduct Safety @mapei.com$ 

**Emergency phone number** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

#### 2. Hazard identification

## Classification of the product

No specific hazards are encountered under normal product use.

#### **Label elements**

#### **Precautionary statements:**

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist/vapours/spray.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves and eye protection.

P501 Dispose of contents/container in accordance with applicable regulations.

## Other hazards

None

# Ingredient(s) with unknown acute toxicity

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

## 3. Composition/information on ingredients

#### Substances

Not Relevant

#### Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

# List of components

Concentration (% w/w)	n Name	Ident. Numb.	Classification	Registration Number
5-10 %	TITANIUM DIOXIDE	CAS:13463-67-7 EC:236-675-5 Index:022-006- 00-2	Carc. 2, H351	
0.25-0.49 %	Silica Sand	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350	

Date 2/15/2022 Production Name POLYBRITE 33 CS - CLIMATE SHIELD Page n. 1 of 7

The actual concentration of the components listed above is withheld as a trade secret.

#### 4. First-aid measures

#### **Description of necessary first-aid measures**

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Most important symptoms/effects, acute and delayed

Not available

# Indication of immediate medical attention and special treatment needed, if necessary

Treatment: Not available (see paragraph 4.1)

#### 5. Fire-fighting measures

## Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

## Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant Oxidizing properties: Not available

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

# 7. Handling and storage

## Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Store cool and dry.

Storage temperature: Not available

Keep away from food, drink and feed.

Incompatible materials:

Date 2/15/2022 Production Name POLYBRITE 33 CS - CLIMATE SHIELD Page n. 2 of 7

Adequately ventilated premises.

# 8. Exposure controls/personal protection

# **Control parameters**

## List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
TITANIUM DIOXIDE	OSHA			15					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation;
	MAK	GERMANY		0.3					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation
	MAK	AUSTRIA		5		10			
	MAK	SWITZERLAND	)	3					
Silica Sand	ACGIH			0.025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;
	ACGIH			0.025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	MAK	AUSTRIA		0.15					
	MAK	SWITZERLAND	)	0.15					

## **Appropriate engineering controls**

Not available

## Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

# 9. Physical and chemical properties

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: liquid white

Odour: Slightly acrylic

Odour threshold: No data available

pH: 9.50

Melting point / freezing point: Not Relevant

Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: 100 °C (212 °F) Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: >1

Vapour pressure: Not Relevant

Date 2/15/2022 Production Name POLYBRITE 33 CS - CLIMATE SHIELD Page n. 3 of 7

Relative density: 1.37 g/cm3 Solubility in water: dispersible Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant Oxidizing properties: No data available Solid/gas flammability: non-flammable

#### Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

## 10. Stability and reactivity

## Reactivity

No data available

## **Chemical stability**

Data not available.

## Possibility of hazardous reactions

None.

# **Conditions to avoid**

No data available

# **Incompatible materials**

Oxidizers

#### **Hazardous decomposition products**

Data not available.

# 11. Toxicological information

# Information on toxicological effects

# Toxicological information on main components of the mixture:

TITANIUM DIOXIDE a) acute toxicity LD50 Oral Rat > 10000 mg/kg

Silica Sand a) acute toxicity LD50 Oral Rat = 500 mg/kg

# Substance(s) listed on the IARC Monographs:

TITANIUM DIOXIDE Group 2B Silica Sand Group 1

# Substance(s) listed as OSHA Carcinogen(s):

TITANIUM DIOXIDE

Silica Sand

## Substance(s) listed as NIOSH Carcinogen(s):

TITANIUM DIOXIDE

Silica Sand

#### Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

#### 12. Ecological information

## **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

# List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

Silica Sand CAS: 14808-60-7 - a) Aquatic acute toxicity: LC50 carp > 10000.00000 mg/L 72h

EINECS: 238-878-4

Date 2/15/2022 Production Name POLYBRITE 33 CS - CLIMATE SHIELD Page n. 4 of 7

#### Persistence and degradability

Not available

## **Bioaccumulative potential**

Not available

#### Mobility in soil

Not available

#### Other adverse effects

Not available

#### 13. Disposal considerations

#### Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

TDG-UN number: Not available ADR-UN number: Not available DOT-UN Number: Not available IATA-Un number: Not available IMDG-Un number: Not available

# **UN proper shipping name**

TDG-Shipping Name: Not available ADR-Shipping Name: Not available DOT-Proper Shipping Name: Not available IATA-Technical name: Not available IMDG-Technical name: Not available

# Transport hazard class(es)

TDG-Class: Not available
ADR-Class: Not available
DOT-Hazard Class: Not available

IATA-Class: Not available IMDG-Class: Not available

#### **Packing group**

TDG-Packing Group: Not available ADR-Packing Group: Not available DOT Packing Group: Not available IATA-Packing group: Not available IMDG-Packing group: Not available

## **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not available

DOT-RQ:

#### Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

Date 2/15/2022 Production Name POLYBRITE 33 CS - CLIMATE SHIELD Page n. 5 of 7

# Special precautions in connection with transport or conveyance

TDG:

TDG Special provisions: N/A

Department of Transportation (DOT):

Not available

Road and Rail ( ADR-RID ):

Not available

Air (IATA):

Not available

Sea ( IMDG ):

Not available

#### 15. Regulatory information

#### **Canada - Federal regulations**

## **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

No substances listed

# **NPRI - National Pollutant Release Inventory**

Substances listed in NPRI:

No substances listed

#### **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

**TSCA** inventory:

All the components are listed on the TSCA inventory

#### TSCA listed substances:

TITANIUM DIOXIDE is listed in TSCA Section 8b Silica Sand is listed in TSCA Section 8b

# **SARA - Superfund Amendments and Reauthorization Act**

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

#### **CAA - Clean Air Act**

# **CAA listed substances:**

No substances listed

# **CWA - Clean Water Act**

# **CWA listed substances:**

No substances listed

# **USA - State specific regulations**

# **California Proposition 65**

# Substance(s) listed under California Proposition 65:

TITANIUM DIOXIDE Listed as carcinogen
Silica Sand Listed as carcinogen

## Massachusetts Right to know

# Substance(s) listed under Massachusetts Right to know:

TITANIUM DIOXIDE

Silica Sand

#### Pennsylvania Right to know

#### Substance(s) listed under Pennsylvania Right to know:

TITANIUM DIOXIDE

Silica Sand

#### New Jersey Right to know

#### Substance(s) listed under New Jersey Right to know:

TITANIUM DIOXIDE

Silica Sand

#### 16. Other information

Safety Data Sheet dated: 2/15/2022 - version 3

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H350	May cause cancer.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

 ${\sf GefStoffVO:}\ \ {\sf Ordinance}\ \ {\sf on}\ \ {\sf Hazardous}\ \ {\sf Substances},\ {\sf Germany}.$ 

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION

Date 2/15/2022 Production Name POLYBRITE 33 CS - CLIMATE SHIELD Page n. 7 of 7