# **Safety Data Sheet**

# **POLYGLASS PMMA CATALYST POWDER**

Safety Data Sheet dated: 11/09/2021 - version 5

Date of first edition: 11/20/2020



#### 1. Identification

#### **Product identifier**

Mixture identification:

Trade name: POLYGLASS PMMA CATALYST POWDER

Trade code: 9075301

Recommended use and restrictions on use

Recommended use: Coating Restrictions on use: N.A. **Supplier's details** 

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: Not available Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-

6666

#### 2. Hazard identification







# Classification of the product

Causes serious eye irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Heating may cause a fire.

## **Label elements**

# Pictograms and Signal Words



Danger

#### **Hazard statements:**

H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

## **Precautionary statements:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P321 Specific treatment (see supplementary instructions on this label)
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P370+P378 In case of fire, use a dry powder fire extinguisher to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with applicable regulations.

### Other hazards

None

## Ingredient(s) with unknown acute toxicity

None

## 3. Composition/information on ingredients

#### **Substances**

N.A.

#### Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

#### List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
25-50 %	DIBENZOYL PEROXIDE	CAS:94-36-0 EC:202-327-6 Index:617-008- 00-0	Eye Irrit. 2A, H319; Skin Sens. 1, H317; Org. Perox. B, H241; Aquatic Acute 1, H400	

The actual concentration of the components listed above is withheld as a trade secret.

## 4. First-aid measures

# **Description of necessary first-aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

## Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## 5. Fire-fighting measures

## Suitable and unsuitable extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish.

CO2 or Dry chemical fire extinguisher.

Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Date 11/9/2021 Production Name POLYGLASS PMMA CATALYST POWDER Page n. 2 of 8

Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

### 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Do not pour the product into other containers. Always use the original container.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

## 8. Exposure controls/personal protection

# **Control parameters**

## List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
DIBENZOYL PEROXIDE	OSHA			5					
	ACGIH			5					A4 - Not Classifiable as a Human Carcinogen;skin and upper respiratory tract irritation;
	MAK	GERMANY		5					
	ACGIH			5					A4 - Not Classifiable as a Human Carcinogen;skin and upper respiratory tract irritation
	MAK	AUSTRIA		5		10			
	MAK	SWITZERLAND		5					

## **Appropriate engineering controls**

N.A.

## Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Date 11/9/2021 Production Name POLYGLASS PMMA CATALYST POWDER Page n. 3 of 8

### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

#### Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

#### Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

N.A.

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: powder white

Odour: weak

Odour threshold: No data available

pH: No data available

pH (water dispersion, 10%): 7.00

Melting point / freezing point: 58 °C (136 °F)

Initial boiling point and boiling range: No data available

Flash point: No data available Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: 0.64 g/cm3 Solubility in water: immiscible Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: 55.00 °C

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

# Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## 10. Stability and reactivity

# Reactivity

Stable under normal conditions

### **Chemical stability**

Data not available.

## Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

## **Incompatible materials**

Avoid contact with combustible materials. The product could catch fire.

## **Hazardous decomposition products**

None.

Date

## 11. Toxicological information

11/9/2021

### Information on toxicological effects

Toxicological information on main components of the mixture:

DIBENZOYL PEROXIDE a) acute toxicity LD50 Oral Rat = 7710 mg/kg

Substance(s) listed on the IARC Monographs:

DIBENZOYL PEROXIDE Group 3

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

# 12. Ecological information

#### **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

#### List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

DIBENZOYL PEROXIDE CAS: 94-36-0 - a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 0.0602 mg/L 96h

EINECS: 202-327-6 ECHA

- INDEX: 617-008-

00-0

#### Persistence and degradability

N.A.

### **Bioaccumulative potential**

N.A.

#### Mobility in soil

N.A.

#### Other adverse effects

N.A.

## 13. Disposal considerations

# Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## 14. Transport information

#### **UN** number

TDG-UN number: UN3106 ADR-UN number: 3106 DOT-UN Number: UN3106 IATA-Un number: 3106 IMDG-Un number: 3106

### **UN proper shipping name**

TDG-Shipping Name: ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE) ADR-Shipping Name: ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE) DOT-Proper Shipping Name: Organic peroxide type D, solid (DIBENZOYL PEROXIDE) IATA-Technical name: ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE) IMDG-Technical name: ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE)

## Transport hazard class(es)

TDG-Class: 5.2 ADR-Class: 5.2 DOT-Hazard Class: 5.2 IATA-Class: 5.2 IMDG-Class: 5.2

## **Packing group**

TDG-Packing Group: ADR-Packing Group: DOT Packing Group: IATA-Packing group: IMDG-Packing group: -

#### **Environmental hazards**

Marine pollutant: Yes
Environmental Pollutant: N.A.

## Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

## Special precautions in connection with transport or conveyance

TDG:

TDG Special provisions: N/A
Department of Transportation (DOT):
DOT-Special Provision(s): -

DOT-Label(s): 5.2 DOT-Symbol: N/A DOT-Cargo Aircraft: N/A DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A DOT-Non-Bulk: N/A Road and Rail ( ADR-RID ) : ADR-Label: 5.2

ADR-Hazard identification number: -

ADR-Transport category (Tunnel restriction code): 2 (D)

Air ( IATA ):

IATA-Passenger Aircraft: 570 IATA-Cargo Aircraft: 570 IATA-Label: 5.2 + KAFH IATA-Subsidiary hazards: -

IATA-Erg: 5L

IATA-Special Provisioning: A20 A802

Sea ( IMDG ):

Date

IMDG-Stowage Code: Category D SW1 IMDG-Stowage Note: SG35 SG36 SG72

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 122 274

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: F-J, S-R IMDG-MFAG: N/A

# 15. Regulatory information

11/9/2021

Page n. 6 of 8

## Canada - Federal regulations

#### **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

NDSL Inventory:

No substances listed

### **NPRI - National Pollutant Release Inventory**

**Substances listed in NPRI:** 

No substances listed

## **USA** - Federal regulations

## **TSCA - Toxic Substances Control Act**

**TSCA** inventory:

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

DIBENZOYL PEROXIDE

is listed in TSCA Section 8b

## **SARA - Superfund Amendments and Reauthorization Act**

Section 302 - Extremely Hazardous Substances:

No substances listed

#### Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

DIBENZOYL PEROXIDE

### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

## Substance(s) listed under CERCLA:

No substances listed

#### **CAA - Clean Air Act**

#### **CAA listed substances:**

No substances listed

### **CWA - Clean Water Act**

## **CWA listed substances:**

No substances listed

# **USA - State specific regulations**

#### **California Proposition 65**

## Substance(s) listed under California Proposition 65:

No substances listed

## Massachusetts Right to know

## Substance(s) listed under Massachusetts Right to know:

DIBENZOYL PEROXIDE

### Pennsylvania Right to know

#### Substance(s) listed under Pennsylvania Right to know:

DIBENZOYL PEROXIDE

## New Jersey Right to know

## Substance(s) listed under New Jersey Right to know:

DIBENZOYL PEROXIDE

### 16. Other information

Safety Data Sheet dated: 11/9/2021 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H241	Heating may cause a fire or explosion.
H242	Heating may cause a fire.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 12. ECOLOGICAL INFORMATION